

## Steering

Free play	Less than 30 mm (1.2 in.)
-----------	---------------------------

## Tires and wheels

## ► Type A

Tire size	235/60R18 103V, T165/90D18 107M (spare)		
Tire inflation pressure (front and rear) (recommended cold tire inflation pressure)	Vehicle speed	Front wheel kPa (kgf/cm <sup>2</sup> or bar, psi)	Rear wheel kPa (kgf/cm <sup>2</sup> or bar, psi)
	More than 160 km/h (100 mph)	250 (2.5, 36)	270 (2.7, 39)
	160 km/h (100 mph) or less	230 (2.3, 33)	230 (2.3, 33)
	160 km/h (100 mph) or less (ECO tire pressure *1)*2	250 (2.5, 36)	250 (2.5, 36)
Tire inflation pressure (spare) (recommended cold tire inflation pressure)	420 kPa (4.2 kgf/cm <sup>2</sup> or bar, 60 psi)		
Wheel size	18 × 7 1/2J, 18 × 4T (spare)		
Wheel nut torque	103 N•m (10.5 kgf•m, 76 ft•lbf)		

## 6-1. Specifications

### ► Type B

Tire size	235/60R18 103V		
Tire inflation pressure (recommended cold tire inflation pressure)	Vehicle speed	Front wheel kPa (kgf/cm <sup>2</sup> or bar, psi)	Rear wheel kPa (kgf/cm <sup>2</sup> or bar, psi)
	More than 160 km/h (100 mph)	250 (2.5, 36)	270 (2.7, 39)
	160 km/h (100 mph) or less	230 (2.3, 33)	230 (2.3, 33)
	160 km/h (100 mph) or less (ECO tire pressure *1)*2	250 (2.5, 36)	250 (2.5, 36)
Wheel size	18 × 7 1/2 J		
Wheel nut torque	103 N•m (10.5 kgf•m, 76 ft•lbf)		

## ► Type C

Tire size	235/55R19 101V, T165/90D18 107M (spare)		
Tire inflation pressure (front and rear) (recommended cold tire inflation pressure)	Vehicle speed	Front wheel kPa (kgf/cm <sup>2</sup> or bar, psi)	Rear wheel kPa (kgf/cm <sup>2</sup> or bar, psi)
	More than 160 km/h (100 mph)	260 (2.6, 38)	290 (2.9, 42)
	160 km/h (100 mph) or less	230 (2.3, 33)	230 (2.3, 33)
	160 km/h (100 mph) or less (ECO tire pressure *1)*2	250 (2.5, 36)	250 (2.5, 36)
Tire inflation pressure (spare) (recommended cold tire inflation pressure)	420 kPa (4.2 kgf/cm <sup>2</sup> or bar, 60 psi)		
Wheel size	19 × 7 1/2J, 18 × 4T (spare)		
Wheel nut torque	103 N•m (10.5 kgf•m, 76 ft•lbf)		

## 6-1. Specifications

### ► Type D

Tire size	235/55R19 101V		
Tire inflation pressure (recommended cold tire inflation pressure)	Vehicle speed	Front wheel kPa (kgf/cm <sup>2</sup> or bar, psi)	Rear wheel kPa (kgf/cm <sup>2</sup> or bar, psi)
	More than 160 km/h (100 mph)	260 (2.6, 38)	290 (2.9, 42)
	160 km/h (100 mph) or less	230 (2.3, 33)	230 (2.3, 33)
	160 km/h (100 mph) or less (ECO tire pressure * <sup>1</sup> )* <sup>2</sup>	250 (2.5, 36)	250 (2.5, 36)
Wheel size	19 × 7 1/2J		
Wheel nut torque	103 N•m (10.5 kgf•m, 76 ft•lbf)		

\*<sup>1</sup>:“For optimizing fuel economy, ECO tire pressure is recommended.  
Tire pressure affects traveling comfort, road noise and steering characteristics.”

\*<sup>2</sup>:In the United Kingdom, Republic of Ireland, Germany, France, Italy, Spain, the Netherlands, Belgium, Portugal, Denmark, Greece, Switzerland, Austria, Sweden, Finland, Norway, Israel, the Czech Republic, Hungary, Slovakia, Iceland, Canary Islands, Réunion, Cyprus, Poland, Estonia, Slovenia, Latvia, Lithuania, Romania and Bulgaria.