

## Lexus Personalized Settings: GS 350 2013

Your vehicle includes a variety of electronic features that can be personalized to your preferences. section 8-2. Customization, page /7/ of the owners manual provides all the information necessary to make the changes you want

## Customizing vehicle features

Feature Feature		Customized Setting
Language	Standard	American English Français Espanol
Units	Standard	Km (L/100km) Miles Km (Km/L)
ECO lamp	Standard	ON (Self-lighting) OFF ON (Always)
Drive monitor	Standard	Outside Fuel consumption Cruising range
Lamp brightness	Standard	Standard Bright
SPORT lamp	Standard	ON OFF
Default settings	Standard	OFF ON
Speed Sensitive Auto Lock	Standard	When the vehicle reaches 20 km, The doors will not lock. = Off All the doors will automatically lock. = On
Shift-Linked Auto Lock	Standard	When the vehicle is taken out of park and placed into another range: The doors automatically lock. = On The doors, if unlocked, will not automatically lock. = Off
Shift-Linked Auto Unlock	Standard	When the engine is running and the vehicle is placed into park: All the doors will automatically unlock. = On All of the doors will remain locked. = Off
Driver Door-Linked Unlock	Standard	When the vehicle is turned off and the driver door is opened within 10 seconds: All of the remaining doors will remain locked. = Off All of the remaining doors will automatically unlock. = On
Unlock on Second Key Turn	Standard	When using the mechanical key to unlock the doors:  Turning the key one time unlocks the driver door, and two times unlocks all doors. = On  Turning the key one time will unlock all doors. = Off
Remote 2-press unlock	Standard	When using the electronic key to unlock the doors:  Pressing the unlock button one time unlocks the driver door, and two times unlocks all doors. = On  Pressing the unlock button one time will unlock all doors. = Off
Select Doors to Unlock	Standards	When pressing the unlock button one time on the electronic key: Only driver door unlocks (Option <i>remote 2-press Unlock</i> must be On). = Driver All doors will unlock (Option <i>remote 2-Press Unlock</i> must be Off). = All
Access System with Electronic Key	Standard	When unlocking the doors: Use Smart Access (touch door handle) or remote buttons. = On Deactivates SmartAccess, only accessible using elec. key unlock button. = Off
Auto Relock Time Adjust	Standard	When the unlock button on the electronic key is pressed and the doors are not opened: The doors will automatically re-lock in 60 seconds. The doors will automatically re-lock in 120 seconds. The doors will automatically re-lock in 30 seconds.

Feature		Customize	d Setting						
Open door reminder	Standard	When the lock button on the electronic key is pressed and a door is opened a buzzer will sound - ON a buzzer will sound - OFF							
Lock/Unlock Answer Back	Standard	Using the electronic key, the following functions can be programmed:  Press the lock/unlock button and the system will beep. =On  Press the lock/unlock button and the system will not beep. =Off							
Lock Feedback Volume		When the loprogramme off			n the electronic volume 3	key, the system volume 4	volume	volume	loudest
Number of consecutive door lock operations	Standard	2 times As many as	desired	2	J	4	5	6	(standard)
Wireless remote control Trunk unlock	Standard	When unlood Press and h One short p Push twice press and h OFF	old (short) oress		e key				
Front seats Driver's seat Easy Exit	Standard	Driver's sea ON OFF Partial	t movemei	nt when exiti	ng				
Front seats Memory of driver's seat position	Standard	Selecting the door linking driving position memory with door unlock operation Driver's door only All doors							
Auto A/C Mode	Standard	When Auto A/C is selected:  It will automatically engage the air conditioner compessor to reach the set temperature. = On  It will automatically achieve a set temperature, warm or cool, without engaging the air conditioner compressor. = Off  *Note: The AC compressor will be engaged when the auto AC button is pressed a second time.							
Efficient Ventilation Mode	Standard		atically enc atically blo	gage the air o	conditioner cor	npressor to blow a			
Light Sensor Sensitivity			hter ambie dark			be programmed t llight switch must b very light			
Headlight Off Time Adjust	□ Standard □	the AUTO	position: hts will turn hts will turn hts will turn	off immedia off in 30 se off in 60 se	stely, when the viconds	closed, if the headli			ed.
Daytime running lights	Standard	Illumination On Off	of daytime	running ligh	ts:				
Interior Light Off Adjustment	Standard	After closing the door, the interior lights can be adjusted to stay on for the following: 15 seconds 7.5 seconds 30 seconds							
Exterior Lights Off Time	Standard	After closing 15 seconds 7.5 seconds 30 seconds 0 seconds		the exterior	lights can be ac	djusted to stay on f	or the following	g;	

		Level of light required to dim the instrument panel lights:
Instrument Dim. Sensitivity		very dark normal light very dark (standard) light
lente mant Dart County to		(s-s-s-s-y) light
Instrument Rest. Sensitivity		Level of light required to brighten the instrument panel lights:  very light normal dark very
		light (standard) dark
Flashing of Signal Lights	Standard	Using the electronic key, the following functions can be programmed:
		Press the lock button and the lights will flash once.  Press the unlock button and the lights will flash twice. = On
		Press the lock or unlock button and the lights will not flash. = Off
Open Windows with		When pressing the unlock button on the electronic key for 3 seconds:
Electronic Key	Standard	The windows will not roll down. = Off
		All the windows will roll down. = On
Open windows warning*	^ , ,	When pressing the unlock button on the electronic key for 3 seconds to roll down the windows
	Standard	The buzzer will sound. The buzzer will not sound.
	LJ.	*Option above must be on. (Open window with electronic key)
Open Windows using key		When using the mechanical key to operate the windows:
	Standard	Turning the key right and holding the position for 2 seconds will not open the windows
		Turning the key right and holding the position for 2 seconds will open the windows
Closing windows		When using the mechanical key to operate the windows:
using key	Standard	Turning the key left and holding the position for 2 seconds will not close the windows
		Turning the key left and holding the position for 2 seconds will close the windows
Automatic Recirculation of air when asing A/C	Standard	When the air conditioner is On or in AUTO, the vehicle can be programmed:
asing A/C	Standard	To automatically switch between the recirculation mode and fresh air mode as necessary to me the temperature requirement set = Automatic
		When the climate control is turned on, the user must manually select the desired mode,
		recirculation or fresh air mode = Manual
Automatic air conditioning system		Smog Sensor Sensitivity - Exhaust gas sensor sensitivity
Smag Sensor	Standard	On -3 to 3
nterior light	_	
menor light	Standard	The interior light will illuminate when POWER is switched to OFF:  On
		Off
llumination of the		When using the electronic key or mechanical key to unlock the door, the interior cabin
nterior cabin light	_	light can be programmed for the following:
when unlocking door	Standard	The cabin light will illuminate. The cabin light will not illuminate.
1 (4	LJ	
llumination of the nterior cabin light		When approaching the vehicle with the electronic key, the interior cabin light can be programmed for the following:
when approaching	Standard	The cabin light will illuminate.
he vehicle		The cabin light will not illuminate.
oot lights		When using the electronic key to unlock the doors:
	Standard	The outer foot lights will illuminate.
		The outer foot lights will not illuminate.
Panic mode	Standard	When pressing the panic button on the electronic key: The alarm will sound intermittently and the vehicle lights will flash.
	Standard	The alarm will sound intermittently and the vehicle lights will flash. The alarm will not sound and the vehicle lights will not flash.
Door lock buzzer		When the lock button on the electronic key is pressed and a door is not fully closed:
	Standard	The buzzer will sound.
		The buzzer will not sound.
Priver seat belt		When the vehicle reaches 20 km:
eminder	Standard	The driver seat belt reminder will beep.
	П	The driver seat helt reminder will not been

The driver seat belt reminder will not beep.

Feature		Customized Setting
Passenger seat belt reminder	Standard	When the vehicle reaches 20 km: The passenger seat belt reminder will beep. The passenger seat belt reminder will not beep.
Reverse Beep Alert	Standard	When the vehicle is put in reverse, the interior reverse beep alert can be set to: Beep continuously Beep once.
Rear Sunshade	Standard	Reverse operation the rear Sunshade will go down for clear view On at 0.7 second Off On at 0.0 second On at 0.9 second On at 1.2 seconds
Turn Signal Lever, The number of time (After flashing the turn signal lights wh the turn signal lights can be selected to	en turning le	gnal lights flash automatically when the turn signal lever is moved to the first position during a lane change eft or right while this function is off and the turn signal lever is moved to the first position in direction of the flashing light, or off.) Flashing 3 times Flashing 5 times Flashing 7 times OFF: (the turn signal lights keep flashing if the turn signal lever is moved to the first position in direction of flashing light (the turn signal lights will be off if the turn signal lever is moved to the first position in direction of flashing light
Intuitive parking assist Distance (Front)	Standard	Detection distance of the front center sensor Far Near
Intuitive parking assist Distance (Rear)	Standard	Detection distance of the rear center sensor Far Near
Intuitive parking assist Alert Volume	Standard	Alert volume can be adjusted 3 times 1 to 5
Intuitive parking assist Display	Standard	When intuitive parking assist is operating All sensors displayed Display Off
Guest Name		Date
		Vehicle Identification Number (VIN)